			JC05	Rec'd PCT/7TO 29 MAR 2002
FORM PTO-1390 (REV. 12-2001)	U.S. DEPARTMENT OF COM	MMERCE PATENT AND TRADEMARK OFFI	CE	ATTORNEY 'S DOCKET NUMBER
		TO THE UNITED S		205567-xxxx
DESIG	NATED/ELECT	'ED OFFICE (DO/E0 NG UNDER 35 U.S.O	D/US)	U.S. APPLICATION NO. (11 known, see 37 CFR 1.5
	APPLICATION NO.	INTERNATIONAL FILIN		10/08/93/86
PCT/IT00/00		27 September 2		PRIORITY DATE CLAIMED 30 September 1999
TITLE OF INVENT		27 depender 1		30 Deptember 1999
A GLASS FIB APPLICANT(S) FO	ER COMPOSITION			
LA GRECA, M	larco; MASSINI,	Roberto and PASAI		
Applicant herewith s	ubmits to the United St	ates Designated/Elected Offic	ce (DO/EO/US)	the following items and other information:
1. X This is a FIF	RST submission of items	s concerning a filing under 35	U.S.C. 371.	
2. This is a SE	COND or SUBSEQUEN	NT submission of items conce	erning a filing u	nder 35 U.S.C. 371.
	press request to begin n), (9) and (21) indicated		es (35 U.S.C. 3'	71(f)). The submission must include
	-	ration of 19 months from the		article 31).
	= =	ion as filed (35 U.S.C. 371(c) d only if not communicated b		nal Ruraau)
=		y the International Bureau.	y the internation	nai Buicau).
c. 🔲 is 1	not required, as the appl	ication was filed in the Unite	d States Receivi	ng Office (RO/US).
6. 🗷 An English l	anguage translation of t	he International Application a	ns filed (35 U.S.	.C. 371(c)(2)).
	attached hereto.			
	-	itted under 35 U.S.C. 154(d)(ternational Aplication under I	•	(35 H S C 371(c)(3))
		ed only if not communicated		`
_	` •	by the International Bureau.		,
c. hav	ve not been made; howe	ever, the time limit for making	g such amendme	ents has NOT expired.
d. 🔲 hav	ve not been made and w	vill not be made.		
8. An English l	anguage translation of t	he amendments to the claims	under PCT Arti	cle 19 (35 U.S.C. 371 (c)(3)).
9. X An oath or d	eclaration of the invent	or(s) (35 U.S.C. 371(c)(4)).	2 Declara	ations
	anugage translation of t 5 U.S.C. 371(c)(5)).	he annexes of the Internation	al Preliminary E	Examination Report under PCT
Items 11 to 20 b	elow concern documer	t(s) or information included	l:	
11. An Inform	ation Disclosure Statem	ent under 37 CFR 1.97 and 1	.98.	
	nent document for record	rding. A separate cover sheet	in compliance	with 37 CFR 3.28 and 3.31 is included.
13. A FIRST	preliminary amendment			
14. A SECON	D or SUBSEQUENT p	reliminary amendment.		
15: A substitut	te specification.			
16. A change of	of power of attorney and	d/or address letter.		
17. A compute	r-readable form of the	sequence listing in accordance	with PCT Rule	e 13ter.2 and 35 U.S.C. 1821 - 1825.
18. A second of	copy of the published in	ternational application under	35 U.S.C. 154(d)(4).
19. A second of	copy of the English lang	guage translation of the intern	ational applicati	ion under 35 U.S.C. 154(d)(4).
A copy	s or information: of the Interna of the Interna	ational Search Rep ational Préliminar	ort ÿ:Examina†	tión: Report

JC13 Rec'd PCT/PTC 2 9 MAR 2002

					(TYDADI)	
UL APPROPRIE	795726	INTERNATIONAL APPLICATION NO. PCT/ITOO/00360		ATTORNEYS DOCERT HUMBER 205677-XXXX		
					CALCULATIONS PTO USE ONLY	
21. The follows						
BASIC NATIONAL PRE (37 CFR 1.492 (a) (1) - (5)): Neither international preliminary examination for (37 CFR 1.482) nor international search for (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO						
International prolim USPTO but Interna	isary exemination Report	se (37 CFR 1.482) not paid to t prepared by the BPO or IPO		890.00		
International prelim	linery examination flared for (37 CFR 1.4	se (37 CFR 1.482) not paid to 45(8)(2)) paid to USPTO	USPTO \$740.00			
international prolim but all claims did po	inary examination (or entisty provisions :	(37 CFR 1.482) paid to US 11 PCT Ardole 33(1)-(4)	PTO \$710.00			
International prelim	inary examination f	ce (37 CFR 1.482) paid to US	PTO \$100.00			
end all claims satisf	R APPROPRIA	T Article 33(1)-(4)	NT =	\$ 890.00		
Surcharge of \$130.0 months from the ear	o for formshing the claimed priority	outh or declaration later than date (37 CPR 1.492(e)).	20 30	S		
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$		
Total claims	18 - 20 -		× 218'00	5	 	
Independent claims	1 .3 -		g 984.00	\$ 280_00	┼	
MULTIPLE DEPEN	DENT CLAIM(\$) (f applicable)	+ \$280.00	\$ 280.00	 	
TOTAL OF ABOVE CALCULATIONS = 5 Applicant claims small entity status. Sec 37 CFR 1.27. The fees indicated above are reduced by 1/2 +						
40,000,000		ST	BTOTAL -	s		
Processing fee of \$1 months from the ear	30.00 for furnishing	the English translation later the data (37 CPR 1.492(f)).		s		
		TOTAL NATIO	NAL FEE -	5		
Fee for recording the accompanied by an	speroprists cover th	mt (37 CFR 1-21(b)). The east set (37 CFR 3.28, 3.31). \$40.	enment must be	80.00		
		TOTAL FEES E	NCLOSED -	\$ 1250.00		
				Amount to be refunded:	\$	
				charged:	3	
A check in the amount of \$						
Chicago, II	L 60611		A.E.G.18*	7,398		

WO 01/23316

15

- 1 -

PCT/IT00/00380

A GLASS FIBER COMPOSITION

Description

5 The present invention relates to fiber а glass composition. In particular, the present invention relates to a biologically-degradable or bio-soluble glass fiber composition, adapted for production of panels and felts of glass wool. These goods are commonly used in the civil 10 and industrial field in the form of heat insulators and/or sound-proofing materials.

Presently known are many glass fiber compositions showing degradability some biological or bio-solubility (solubility of a glass fiber in contact with a biological liquid). It is in fact to be recognized that the biological degradability in glass fibers was in the past and has been till now the object of many studies because a relation seems to exist between this biological 20 degradability and the cancerogenous properties that the glass fiber may show if it is introduced into or absorbed by a human or animal body.

In particular, it has been recently ascertained that a 25 higher bio-solubility can reduce the cancerogenous effects of the glass fibers increasing the capability of the human or animal body to get rid of the possiblyabsorbed fibers.

30 addition to bio-solubility, the glass compositions of industrial concern must at all events also have an appropriate behaviour with reference to properties of physical, chemical and mechanical nature, such as for example: mechanical strength, elasticity, 35 resistance to thermal fronts and chemical and atmospheric workability, flexibility, agents, fineness,

length/diameter ratio. Also to be taken into account is the economic aspect: it is apparent that too expensive glass fibers cannot be put on the market so as to be competitive.

5

V 1

Therefore, greatly felt is a need for a glass fiber composition having a good biological degradability combined with good features with reference to the above mentioned chemical, physical and mechanical properties.

- 10 In particular, obtaining an economically convenient glass fiber composition having a good biological degradability and at the same time a good resistance to water and humidity is very complicated because the last-mentioned requirement can be hardly reconciled with fibers having 15 a good tendency to dissolve in biological media.
- More generally, that which is complicated is coordinating the economical requirements of an industrial production with bio-solubility and with the strength requirements that a fiber must have in order to be able to fulfill the present uses.

It is therefore an aim of the present invention to provide a glass fiber composition which is sufficiently bio-soluble and has a good resistance if brought into contact with water and/or humidity, a good workability, by use of centrifugal techniques for example, a capability of achieving a good heat/soundproof insulation, a good elasticity and reduced brittleness.

30

It is a further aim of the present invention to provide a glass fiber composition having reduced production costs.

35 In an attempt to reach the above-mentioned aims, compositions were proposed in the past in which the SiO_2

WO 01/23316 PCT/IT00/00380

and Al_2O_3 content was greatly reduced while corresponding important increases in CaO, MgO, Na_2O , K_2O and B_2O_3 content were carried out thereby obtaining fibers that were weakly efficient in terms of structure, production and costs.

Surprisingly, as better specified during the following detailed description, the Applicants have developed a biologically degradable glass fiber composition in which, by virtue of a particular combination of alkaline and non-alkaline oxides, the SiO₂ and Al₂O₃ content have been greatly reduced, while satisfactory results in terms of bio-solubility have been at the same time achieved.

In particular, it is an object of the present invention to provide a biologically degradable or bio-soluble glass fiber composition characterized in that it comprises the following components the counter-actions of which are expressed in percent by weight:

61 to 66; 20 - SiO₂: 1.1 to 2.1: - Al₂O₃: higher than 9; - (CaO+MgO): higher than 18; - (Na_2O+K_2O) : - B₂O₃: 4 to 15; 0 to 5; 25 - P₂O₅: 0 to 1; - SO₃: 0 to 0.5; - Fe₂O₃: less than 2. - Others:

35

30 The particular combination and concentration of organic oxides gives the glass fiber composition being the object of the present invention good mechanical features, workability, resistance to humidity and excellent heat/soundproof insulation features.

Now, the detailed description of some preferential

WO 01/23316 – 4 – PCT/IT00/00380

embodiments of the composition in accordance with the invention will be given and the different components of the glass fiber composition of the invention will be analysed hereinafter; each component will be analysed in order to highlight its behaviour and technical effect in coordination with the other elements in the composition.

Silica (SiO₂) is one of the vitrifying agents present in the composition and helps in forming the glass lattice.

10 Silica gives structural properties to glass. In the concerned composition silica is present in a percent by weight included between 61 and 66.

Alumina (Al₂O₃) was measured very carefully because a too great percentage by weight would act, among other things, in a manner involving decrease in the biological degradability of the resulting glass. At the same time alumina cannot be completely eliminated because a too water-soluble glass would be obtained. A glass without alumina, once reduced to fiber, would not stand too long 20 in contact with humidity. In addition glass, in order to be able to be formed into fibers, must keep its viscosity value within a well-precise range under which it is practically impossible to obtain fibers in an industrial 25 manner. For the above reasons alumina is present in a concentration by weight included between 1.1 and 2.1. Preferably, alumina is present in a concentration by weight included between 1.1 and 1.8.

Calcium oxide (CaO) and magnesium oxide (MgO) stabilize the glass lattice and give the glass structural features. In addition, calcium oxide and magnesium oxide both reduce the glass viscosity and capability of being formed into fibers. More specifically, it should be pointed out that calcium oxide and magnesium oxide contribute to viscosity in a manner different from each

WO 01/23316 - 5 - PCT/IT00/00380

other: magnesium oxide reduces viscosity less than calcium oxide. Calcium oxide and magnesium oxide also affect the biological degradability of the glass fibers.

5 In accordance with the invention, use of the combination of the two oxides (CaO+MgO) in a percent by weight higher than 9 appeared to be advantageous. In particular a MgO content higher than or equal to 2.5 percent by weight appeared to be useful, the calcium oxide oscillations 10 being included in a range between 6.5 and 8 percent by weight.

Sodium oxide (Na20) and potassium oxide (K20) affect the glass degradability making it higher. At the same time, 15 sodium oxide and potassium oxide also increase the watersolubility of glass. In both cases, the potassium oxide contribution is lower than the sodium oxide contribution. The two alkaline oxides also act on the glass viscosity and therefore the glass capability of being formed into fibers. As already mentioned, viscosity is a parameter of 20 the greatest importance as regards glass workability and formation into fibers. In addition, the two alkaline oxides also somewhat affect the glass brittleness. A compromise between economical factors, 25 workability, brittleness, biological degradability and resistance to water was obtained by combining the two alkaline oxides (Na2O+K2O) in a percentage by weight than 18. Preferably and originally, combination of the two alkaline oxides (Na_2O+K_2O) in 30 percent by weight is higher than or equal to 18.50 and lower than or equal to 23. In particular, Na2O is present in a concentration by weight included between 17.70 and In turn, potassium oxide is present in a concentration by weight included between zero and 2 and 35 more preferably it is present in a concentration by weight included between 0.50 and 1.50. It should be noted WO 01/23316 – 6 – PCT/IT00/00380

that an increase in the concentration by weight of $\mathrm{Al}_2\mathrm{O}_3$ follows an increase in the concentration by weight of $\mathrm{Na}_2\mathrm{O}$ because the glass viscosity, notwithstanding the possible presence of $\mathrm{K}_2\mathrm{O}$, becomes too low and therefore an industrially unworkable glass would result.

Boron oxide (B_2O_3) advantageously contributes to the glass fiber elasticity. In particular, a felt of fibers having a good elasticity must be able to be compressed and, once take its original thickness again. 10 released, Elasticity also helps in ensuring a good workability to the glass, above all during the operations for forming it into fibers. An elastic glass fiber surely is subject to less fractures. Since the alumina content was lowered 15 under 2% by weight and at the same time the $\mathrm{Na_2O}$ and $\mathrm{K_2O}$ content was increased in order to ensure a good biosolubility, a weight amount of $B_2 O_3$ at least included between 4 and 15 and preferably between 5 and 15 was originally inserted in order to avoid too brittle a fiber being obtained. At all events boron oxide B_2O_3 also helps in reducing viscosity and has some repercussions from an economical point of view. In addition, boron oxide affects the biological degradability of glass fibers. For the reasons briefly discussed above, when an increase in brittleness occurs, due to an increase in the alkali $(Na_2O + K_2O)$ amount for example, the boron oxide component is increased in the composition but only to such an extent that the manufacturing cost of the glass is not increased too much. For instance (see the above-30 reproduced Example 1), if sodium oxide is present in a high concentration by weight and aluminium oxide is present in a low concentration, the resulting fiber could be more brittle. In order to compensate for the resulting fiber brittleness, preferably a higher concentration by 35 weight of boron oxide is employed.

WO 01/23316 – 7 – PCT/IT00/00380

Phosphoric anhydride (P_2O_5) is a vitrifying agent and helps in forming the glass lattice. The phosphoric oxide increases the biological degradability and solubility of glass. It increases the biological degradability and solubility of glass to a greater extent than boron oxide.

The phosphoric oxide is present in a percentage by weight included between zero and 5.

- 10 In some cases use of boron oxide in combination with phosphoric oxide P_2O_5 so that the B_2O_3 + P_2O_5 concentration by weight would be greater than 5 appeared to be very This combination aims at integrating advantageous. possible losses in the structural and biologicaldegradability features. In accordance with the invention, 15 should phosphoric oxide be present in a concentration by weight included between zero and less than 0.1, boron oxide is present in a weight amount greater than 5, preferably in a weight amount greater than 5.5. Should 20 phosphoric oxide be present in a concentration by weight included between 0.75 and 1.5, boron oxide is present in an amount by weight lower than 5, preferably lower than 4.5.
- 25 It should be also noted that P_2O_5 can be dangerous for furnaces intended for glass melting so that advisably a percentage by weight of P_2O_5 higher than 1 should never be exceeded.
- Sulfur trioxide (SO_3) proved to affect the composition behaviour by improving the biological degradability of glass without substantially varying its resistance to H_2O . Sulfur trioxide was therefore provided in a percentage by weight included between zero and 1. Preferably sulfur trioxide is present in a percentage by

weight included between 0.10 and 0.5.

WO 01/23316 - 8 -

Ferric oxide (Fe₂O₃) acts on the biological degradability of glass fibers by decreasing it. Therefore it is useful for the ferric oxide to be present in a percentage by weight included between zero and a value not exceeding 0.5. Preferably, the ferric oxide is present in a percentage by weight included between 0.050 and 0.20.

Finally, in the components referred to as "others" it is provided to be included all impurities present in the starting materials and not of particular importance for the composition of the invention, from a technical point of view.

Within the general idea of the embodiment being the object of claim 1, particularly advantageous are the component ranges referred to in claim 5 surprisingly ensuring an excellent compromise between bio-solubility, structural features, workability and costs. In addition, advantageously, even if bio-solubility was facilitated and improved due to relatively high concentrations by weight of the alkaline oxides, the fiber brittleness effects caused by the latter are mitigated through an increase in B₂O₃ to such an extent that the fiber-forming features and production costs are not impaired.

25

More specifically, in accordance with the concrete form disclosed in claim 6 a good biological degradability was obtained and an increase in the combination $(B_2O_3+P_2O_5)$ was conceived in order to compensate for a reduction in the amount by weight of Al_2O_3 and for an increase in the alkaline oxides that have reduced the structural resistance and increased the glass brittleness, respectively. In particular, the P_2O_5 action consists in efficiently increasing the structural features and biosolubility and the B_2O_3 component acts on the fiber elasticity, improves bio-solubility and does not reduce

WO 01/23316 - 9 - PCT/IT00/00380

the capability of the glass to be formed into fibers too much.

Still more specifically, in accordance with the concrete form disclosed in claim 7, it is also simultaneously solved the problem of protecting the apparatuses intended for producing the fiber because the relatively high concentrations of P_2O_5 involved (> 0.1 per cent by weight) increase the biological degradability but are dangerous, since P_2O_5 is an acid-hydrolysis hygroscopic oxide. In addition, P_2O_5 is rather expensive. A preferred embodiment of the composition of claim 7 is set out in claim 8, according to the ranges therein stated.

The composition reproduced in claim 9 represents a valid compromise between reducing the amount by weight of boron oxide in order to reduce the glass fiber costs, and limiting the damages caused to the furnaces due to a relatively high presence of phosphoric oxide. The embodiment of claim 10 represents a preferred form in accordance with claim 9.

Finally, a composition having a high concentration by of alumina in accordance with claim 13 surprisingly appears to be bio-soluble since magnesium 25 oxide helps in increasing solubility and also ensures a better behaviour than calcium oxide when the fiberforming operations are carried out. In an original manner, in the composition in accordance with claim 13, 30 with an alumina increase there is not a corresponding variation in the calcium oxide content but an important increase in magnesium oxide and boron oxide content since improves bio-sensitivity and the fiber-forming operations and the other improves elasticity and bio-35 solubility.

WO 01/23316 - 10 - PCT/IT00/00380

Some particular embodiments of glass fiber compositions are given hereinafter by way of non-limiting examples.

EXAMPLE NO. 1

5

A first illustrative glass fiber composition in accordance with the invention has the following components the concentration of which is expressed in percent by weight:

63.95; 10 - SiO₂. 1.10; $- Al_2O_3$: 7.50; - CaO: 2.50; - MgO: 17.80; - Na₂O: 0.70; 15 - K₂O: 6.00; - B₂O₃: 0.35; - SO₃: 0.10; - Fe₂O₃: less than 2. - Others:

20

This glass was worked by centrifugal techniques. The water-solubility value was equal to 26 mg/g.

This evaluation of the resistance to water was carried out with the DGG (Deutsch Glassfasern Gesellschaft) method as also set out in the European Patent No. EP 738693A2.

According to this methodology, 10 g of glass, finely ground to 360-400 microns, is put in 100 ml of distilled water to the boiling point for 5 hours with a dropping cooler. After a quick cooling, the obtained solution is filtered, brought to volume and an aliquot is evaporated in a stove to 150°C, until complete dryness. The weight of the dry residue enables the amount of glass dissolved in water to be known. As above indicated, the expression

WO 01/23316 - 11 - PCT/IT00/00380

of the results is in mg per gram of tested glass. As can be seen the glass in Example 1 has a water-solubility value which is not much higher than 200 mg/g, and this is a typical value of standard glasses.

The bio-degradability evaluated by bio-persistence tests in conformity with Protocol ECB/TM/26 rev. 7, 1998 gave rise, for fibers longer than 20µ, to a weighted mean life of the fiber considerably lower than the 10 days required by the EEC directives 97/69/CE of 05.12.1997.

EXAMPLE NO. 2

5

A second glass fiber composition in accordance with the 15 invention has the following components the concentrations of which are expressed in percent by weight:

	- SiO _{2:}	64.95;
	- Al ₂ O ₃ :	1,20;
	- CaO:	7.00;
20	- MgO:	2.50;
	- Na ₂ O:	17.80;
	- K ₂ O:	0.70;
	- B ₂ O ₃ :	4.40;
	- P ₂ O ₅ :	1.00;
25	- SO ₃ :	0.35;
	- Fe ₂ O ₃ :	0.10;
	- Others:	less than 2.

This glass was worked by centrifugal techniques. The value of the resistance to humidity detected by the DGG method is 32 mg/g. The bio-degradability evalutated by bio-persistence tests in conformity with Protocol ECB/TM/26 rev. 7, 1998 gave rise, for fibers longer than 20µ, to a weighted mean life of the fiber considerably lower than the 10 days required by the EEC directives 97/69/CE of 05.12.1997.

WO 01/23316 - 12 - PCT/IT00/00380

EXAMPLE NO. 3

25

A third illustrative glass fiber composition in accordance with the invention has the following 5 components the concentrations of which are expressed in percent by weight:

63.40; - SiO₂. 1,70; - Al₂O₃: 6.80; - CaO: 3.60; 10 - MgO: 17.60; - Na_2O : 0.90; - K₂O: 5.90; - B₂O₃: 0.10; - Fe₂O₃: less than 2. 15 - Others:

This glass was worked by centrifugal techniques. The value of resistance to humidity detected by the DGG method is 24 mg/g. The bio-degradability evalutated by bio-persistence tests in conformity with Protocol ECB/TM/26 rev. 7, 1998 gave rise, for fibers longer than 20µ, to a weighted mean life of the fiber considerably lower than the 10 days required by the EEC directives 97/69/CE of 05.12.1997.

For completion of the above descriptions, with reference to the compositions referred to in Example 1 and Example 2, the summarizing diagrams relating to the fibers of Example 1 and Example 2 showing the bio-persistence 30 features of the mentioned compositions are reproduced hereinafter.

These bio-persistence features were evalutated, as said, by analysing the capability of these fibers to be evacuated from the inside of the pulmonary tissue of mice submitted to appropriate tests in conformity with the


provisions of document EU ECB/TM/26 Rev. 7, 1998.

Based on the foregoing, the bio-persistence features of the fibers were determined by calculating the index of T 1/2 mathematically describing the capability of the glass fibers to be evacuated from the pulmonary tissue of mice submitted to an experimental treatment.


As provided by the directives, the value of T 1/2 (lung clearance half time) relates to fibers of a length greater than 20μ .

Composition of Example 1

15



Composition of Example 2



PCT/IT00/00380

- 15 -

C L A I M S

 A biologically-degradable or bio-soluble glass fiber composition, characterized in that it comprises the following components expressed in percent by weight:

61 to 66; - SiO_2 . 1.1 to 2.1; - Al₂O₃: - (CaO+MgO): higher than 9; higher than 18; - (Na_2O+K_2O) : 4 to 15; 10 - B₂O₃: 0 to 5; - P₂O₅: 0 to 1; - SO₃: 0 to 0.5; - Fe₂O₃: less than 2.

- Others: less than 1

2. The composition as claimed in claim 1, characterized in that it comprises the following components expressed in percent by weight:

- SiO_2 : 61 to 66; 20 - Al_2O_3 : 1.1 to 2.1; - CaO: 6 to 9; - MgO: 0 to 5;

- (Na_2O+K_2O) : higher than 18;

30 3. The composition as claimed in claim 1, characterized in that it comprises the following components expressed in percent by weight:

- SiO_{2} : 61 to 66; - $Al_{2}O_{3}$: 1.1 to 2.1; 35 - (CaO+MgO): higher than 9;

- Na₂O: higher than 17.5, lower than or equal

PCT/IT00/00380

WO 01/23316 - 16 -

```
to 23;

- K_2O: 0.6 to 2;

- B_2O_3: 4 to 15;

- P_2O_5: 0 to 5;

5 - SO_3: 0 to 1;

- Fe_2O_3: 0 to 0.5;

- Others: less than 2.
```

4. The composition as claimed in anyone of the preceding 10 claims, characterized in that it comprises the following components expressed in percent by weight:

```
61 to 66;
     - SiO<sub>2:</sub>
                               1.1 to 2.1;
     - Al_2O_3:
                               6 to 9;
     - CaO:
                               0 to 5;
15 - MgO:
                               higher than 17.5, lower than or equal
     - Na<sub>2</sub>O:
                               to 23;
                               0.6 to 2;
     - K<sub>2</sub>O:
                               4 to 15;
     - B<sub>2</sub>O<sub>3</sub>:
                              0 to 5;
20 - P<sub>2</sub>O<sub>5</sub>:
                              0 to 1;
      - SO<sub>3</sub>:
                               0 to 0.5;
      - Fe_2O_3:
                                less than 2.
      - Others:
```

5. The composition as claimed in claim 4, characterized in that it comprises the following components expressed in percent by weight:

```
61 to 66;
      - SiO<sub>2:</sub>
                                      1.1 to 1.80;
      - Al<sub>2</sub>O<sub>3</sub>:
                                      higher than 9;
30 - (CaO+MgO):
                                      17.50 to 18.50;
      - Na<sub>2</sub>O:
                                      0.6 to 1;
       - K<sub>2</sub>O:
                                      5 to 15;
       - B<sub>2</sub>O<sub>3</sub>:
                                      0 to 5;
       - P<sub>2</sub>O<sub>5</sub>:
                                      0 to 1;
35 ~ SO_3:
                                       0 to 0.5;
       - Fe<sub>2</sub>O<sub>3</sub>:
```

WO 01/23316 - 17 - PCT/IT00/00380

- Others: less than 2.

6. The composition as claimed in claim 5, characterized in that it comprises the following components expressed

5 in percent by weight:

- SiO_2 : 61 to 66; - Al_2O_3 : 1.1 to 1.25;

- (CaO+MgO): higher than 9;

- Na_2O : 17.50 to 18.50;

10 - K_2O : 0.6 to 1;

- $(B_2O_3+P_2O_5)$: higher than 5;

- SO_3 : 0 to 1; - Fe_2O_3 : 0 to 0.5;

- Others: less than 2.

15

7. The composition as claimed in claim 6, characterized in that it comprises the following components expressed in percent by weight:

 $- SiO_2$: 61 to 66;

 $20 - Al_2O_3$: 1.1 to 1.25;

- (CaO+MgO): higher than 9;

- Na₂O: 17.50 to 18.50;

 $- K_2O:$ 0.6 to 1;

- B_2O_3 : higher than 5;

 $25 - P_2O_5$: 0 to less than 0.1;

- SO_3 : 0 to 1; - Fe_2O_3 : 0 to 0.5;

- Others: less than 2.

30 8. The composition as claimed in claim 7, characterized in that it comprises the following components expressed in percent by weight:

- SiO_{2:} 61 to 66;

- Al_2O_3 : 1.1 to 1.25;

35 - (CaO+MgO): higher than 9;

- Na₂O: 17.50 to 18.50;

WO 01/23316 - 18 - PCT/IT00/00380

```
- K_2O: 0.6 to 1;

- B_2O_3: higher than 5.5;

- P_2O_5: 0 to less than 0.1;

- SO_3: 0 to 1;

5 - Fe_2O_3: 0 to 0.5;

- Others: less than 2.
```

9. The composition as claimed in claim 6, characterized in that it comprises the following components expressed

10 in percent by weight:

```
61 to 66;
     - SiO<sub>2:</sub>
                                 1.1 to 1.25;
     - Al_2O_3:
                                higher than 9;
     - (CaO+MgO):
                                 17.50 to 18.50;
      - Na<sub>2</sub>O:
                                 0.6 to 1;
15 - K<sub>2</sub>O:
                                less than 5;
      - B<sub>2</sub>O<sub>3</sub>:
                                0.75 to 1.5;
      - P<sub>2</sub>O<sub>5</sub>:
                                0 to 1;
      - SO<sub>3</sub>:
                                 0 to 0.5;
      - Fe<sub>2</sub>O<sub>3</sub>:
                                less than 2.
20 - Others:
```

10. The composition as claimed in claim 9, characterized in that it comprises the following components expressed in percent by weight:

```
25 - SiO<sub>2:</sub>
                               61 to 66;
                               1.1 to 1.25;
     - Al<sub>2</sub>O<sub>3</sub>:
                               higher than 9;
     - (CaO+MgO):
                               17.50 to 18.50;
     - Na_2O:
                              0.6 to 1;
     - K<sub>2</sub>O:
30 - B_2O_3:
                              less than 4.5;
                              0.75 \text{ to } 1.5;
      - P<sub>2</sub>O<sub>5</sub>:
                               0 to 1;
      - SO<sub>3</sub>:
                              0 to 0.5;
      - Fe_2O_3:
                              less than 2.
      - Others:
```

35

11. The composition as claimed in claim 5, characterized

WO 01/23316 - 19 - PCT/IT00/00380

in that it comprises the following components expressed in percent by weight:

```
61 to 66;
      - SiO<sub>2</sub>.
                                   1.1 to 1.25;
      - Al<sub>2</sub>O<sub>3</sub>:
                                   higher than 9;
 5 - (CaO + MgO):
                                   17.50 to 18.50;
      - Na<sub>2</sub>O:
                                  0.6 to 1;
      - K<sub>2</sub>O:
                                  5 to 15;
      - B_2O_3:
                                   0 to 5;
      - P<sub>2</sub>O<sub>5</sub>:
                                  0.1 \text{ to } 0.5;
10 - SO<sub>3</sub>:
                                  0 to 0.5;
      - Fe<sub>2</sub>O<sub>3</sub>:
                                  less than 2.
      - Others:
```

12. The composition as claimed in claim 5, characterized in that it comprises the following components expressed in percent by weight:

```
- SiO<sub>2</sub>
                                   61 to 66;
      - Al<sub>2</sub>O<sub>3</sub>:
                                   1.1 to 1.25;
                                 higher than 9;
      - (CaO+MgO):
                                  17.50 to 18.50;
20 - Na<sub>2</sub>O:
                                   0.6 to 1;
      - K<sub>2</sub>O:
                                  5 to 15;
      - B<sub>2</sub>O<sub>3</sub>:
                                  0 to 5;
      - P<sub>2</sub>O<sub>5</sub>:
                                  0 to 1;
      - SO<sub>3</sub>:
                                   0.05 to 0.2;
25 - Fe<sub>2</sub>O<sub>3</sub>:
      - Others:
                                  less than 2.
```

13. The composition as claimed in claim 5, characterized in that it comprises the following components expressed

```
30 in percent by weight:
```

```
- SiO<sub>2:</sub> 61 to 66;

- Al<sub>2</sub>O<sub>3</sub>: 1.6 to 1.8;

- (CaO+MgO): higher than 9;

- MgO: higher than 3;

35 - MgO: preferably higher than 3.50;

- Na<sub>2</sub>O: 17.50 to 18.50;
```

PCT/IT00/00380 WO 01/23316 - 20 -

```
0.6 to 1.5;
    - K<sub>2</sub>O:
                            5 to 15;
    - B<sub>2</sub>O<sub>3</sub>:
                            less than 0.1;
    - P<sub>2</sub>O<sub>5</sub>:
                            less than 0.35;
    - SO<sub>3</sub>:
                            higher than zero;
 5 - Fe_2O_3:
                            less than 2.
    - Others:
    14. The composition as claimed in claim 5, characterized
    in that it comprises the following components expressed
10 in percent by weight:
                            61 to 66;
     - SiO<sub>2</sub>.
                            1.6 to 1.8;
     - Al_2O_3:
                            higher than 9;
     - (CaO+MgO):
                            higher than or equal to 18.5 and
     - (Na_2O+K_2O):
                            lower than or equal to 23;
15
                            0.6 to 1.5;
     - K<sub>2</sub>O:
                            5 to 15;
     - B<sub>2</sub>O<sub>3</sub>:
                            less than 0.1;
     - P<sub>2</sub>O<sub>5</sub>:
                           0.1 to 0.25;
     - SO<sub>3</sub>:
                            higher than 0;
20 - Fe<sub>2</sub>O<sub>3</sub>:
                            less than 2.
     - Others:
     15. The composition as claimed in claim 5, characterized
     in that it comprises the following components expressed
25 in percent by weight:
                             61 to 66;
     - SiO<sub>2:</sub>
                             1.6 to 1.8;
     - Al<sub>2</sub>O<sub>3</sub>:
```

- (CaO+MgO): higher than 3; - Mg0: preferably higher than 3.50; 30 - MgO: higher than or equal to 18.5 and - (Na_2O+K_2O) : lower than or equal to 23; 0.6 to 1.5; - K₂O: 5 to 15; - B_2O_3 : less than 0.1;

higher than 9;

35 - P_2O_5 : 0.1 to 0.25; - SO₃:

WO 01/23316 - 21 - PCT/IT00/00380

- Fe_2O_3 : higher than 0;

- Others: less than 2.



(12) INTERNATIONAL APPLATION PUBLISHED UNDER THE PATENT C

ERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 5 April 2001 (05.04.2001)

PCT

(10) International Publication Number WO 01/23316 A1

(51) International Patent Classification7:

C03C 13/00

(21) International Application Number:

PCT/IT00/00380

(22) International Filing Date:

27 September 2000 (27.09.2000)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

MI99A002040

30 September 1999 (30.09.1999) IT

- (71) Applicants (for all designated States except US):
 TECHINT COMPAGNIA TECNICA INTERNAZIONALE S.P.A. [IT/IT]; Via Monterosa, 93,
 I-20149 Milan (IT). POLIGLAS S.A. [ES/ES]; Ctra. de
 Barcelona Km., 66, Barbera del Valles, Barcelona (ES).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): LA GRECA, Marco [IT/IT]; Via Vittorio Veneto, 9/4, I-20068 Peschiera Borromeo (IT). MASSINI, Roberto [IT/IT]; Via Marchesi, 11, I-24043 Caravaggio (IT). PASALAIGUA HUGUET, Jorge [ES/ES]; Calle Ignasi Sarro', 1, E-43800 Valls Tarragona (ES).

- (74) Agent: SUTTO, Luca; Bugnion S.p.A., Viale Lancetti, 17, I-20158 Milano (IT).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

- With international search report.
- Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



(54) Title: A GLASS FIBER COMPOSITION

(57) Abstract: The invention relates to a biologically-degradable glass fiber composition having good mechanical properties, good workability and in particular fiber-forming-capability features and resistance to humidity. The concentrations expressed in percent by weight for each component being the object of the invention are: SiO_2 : 61 to 66; Al_2O_3 : 1.1 to 2.1; (CaO+MgO): higher than 9; (Na₂O+K₂O): higher than 18; B_2O_3 : 4 to 15; P_2O_3 : 0 to 5; SO_3 :0 to 1; Fe_2O_3 : 0 to 0.5; Others: less than 2.

Declaration and Power of Attorney for Patent Application

Dichiarazione e procura ai fini della domanda di brevetto

Italian Language Declaration

l sottoscritto inventore dichiara che:	As a below named inventor, I hereby declare that:
La propria residenza, recapito postale e cittadinanza corrispondono a quanto indicato in calce, sotto la propria firma.	My residence, post office address and citizenship are as stated next to my name.
Ritiene di essere il primo ed unico inventore originale (se viene elencato in calce un solo nominativo) o il coinventore primo ed originale (se è elencato più di un nominativo) del oggetto rivendicato e per il quale il sottoscritto presenta domanda di brevetto. La invenzione in questione è chiamata	I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled A FIBER GLASS COMPOSITION
e la sua descrizione è allegata alla presente Dichiarazione a meno che non sia spuntata la seguente casella:	the specification of which is attached hereto unless the following box is checked:
e stata depositata una domanda di brevetto statunitense numero o una domanda di brevetto internazionale PCT numero che è stata modificata il (se applicabile).	was filed on 9/27/00 as United States Application Number or PCT International Application Number PCT/IT00/00380 and was amended on (if applicable).
Il sottoscritto dichiara in oltre di aver letto e compreso il contenuto della descrizione identificata in precedenza, rivendicazioni comprese, come modificati dall'eventuale modifica summenzionata.	I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.
Il sottoscritto riconosce l'obbligo di rivelare informazioni essenziali ai fini della determinazione della brevettabilità ai sensi del Titolo 37, Codice dei Regolamenti Federali, § 1.56.	I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56.

PTO/SB/104 (8-96) Approved for use through 9/30/88. OMB 0651-0032 Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Italian Language Declaration

Il sottoscritto rivendica con la presente la priorità prevista dal Titolo 35, Codice degli Stati Uniti, § 119(c)-(d) o § 365(b) in rclazione a qualsiasi domanda o domande estere di breveπo o certificato di inventore, o dal Titolo 35, § 365(a) degli stessi Codice in relazione a qualsiasi domanda internazionale PCT nella quale è designato almeno un paese diverso dagli Stati Uniti, i suddetti domande e certifeati essendo elencati sotto, e. spuntando les seguenti caselle, ha anche identificato sotto qualsiasi domanda estera di brevetto o certificato di inventore, o domanda internazionale PCT, la cui data di deposito preceda quella della domanda per la quale è rivendicata sa priorità.

Prior Foreign Aplication(s) Domande Estere Anteriori

(Nº della domanda)

(Number) (Country) (Nazione) (Numero) (Number) (Country) (Numero) (Nazione)

Il sottoscritto rivendica con la presente i benefici previsti dal Titolo 35, Codici degli Stati Uniti, § 119(e), in relazione a qualsiasi domanda o domande provvisorie degli Stati Uniti elencate sotto.

(Application No.) (No della do-(Filing Date) della domanda) (Data di deposito)

(Application No.) (Nº della domanda) (Filing Date) (Data di deposito)

Il sottoscritto rivendica con la presente i benefici previsti dal Titolo 35, Codice degli Stati Uniti, § 120, in relazione a qualsiasi domanda o domande statunitensi, o dal Titolo 35, § 365(c) degli stessi Codice in relazione a qualsiasi domanda internazionale PCT nella qualc sono designati gli Stati Uniti, i suddette domande essendo clencate sotto e, nella misura in cui l'oggetto di ciascuna rivendicazione di questa domanda non sia stato esposto nella domanda statunitense o internazionale PCT anteriore nel modo previsto dal primo paragrafo del Titolo 35, Codice degli Stati Uniti, § 112, riconosce l'obbligo di rivelare informazioni essenziali ai fini della determinazione della breventabilità ai sensi del Titolo 37, Codici dei Regolamenti Federali, § 1.56, le quali diventino disponibili durante il periodo compreso tra la data di deposito della domanda anteriore e la data di deposito nazionale o internazionale PCT della presente domanda.

(Application (Filing Datc) (Nº della domanda) (Data di deposito) (Filing Date) (Application No.)

(Data di deposito)

Con la presente, il sottoscritto dichiara veritiere tutte le affermazioni contenute in questa domanda in relazione alle proprie conoscenze e di ritenere vere tutte le affermazioni o informazioni presentate. Dichiara inoltre che tali asserzioni sono state espresse nella picna consapevolezza che le dichiarazioni intenzionalmente false sono punibili con una multa, l'incarcerazione o entrambe, ai sensi della Sezione 1001 del Titolo 18 del Codice degli Stati Uniti e che tali dichiarazioni intenzionalmente false possono mettere a repentaglio la validità della domanda o di qualsiasi brevetto rilasciato in merito.

I hereby claim foreign priority under Title 35, United States Code, § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT international application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate or PCT international application having a filing date before that of the application on which priority is claimed.

> Priority Not Claimed Diritto di priorità non rivendicato

(Day/Month/Year Filed) (Giorno/Mese/Anno di deposito)

(Day/Month/Year Filed) (Giorno/Mese/Anno di deposito)

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed bclow.

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s), or § 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35. United States Code, § 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application.

MI99A002040 filed 9/30/99

(Status) (patented, pending, abandoned) (Stato) (concessione di brevetto, in corso di esame, abbandono)

(Status) (patented, pending, abandoned) (Stato) (concessione di brevetto, in corso di esame, abbandono)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may icopardize the validity of the application or any patent issued thereon.

PTO/SB/104 (8-96)
Approved for use through 9/30/98. OMB 0851-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of Information unless it displays a valid OMB control number

alian Language Declaration	
ROCURA: Il sottoscritto inventore nomina con la presente il eguente avvocato o avvocati e/o agente o agenti al fine di struire questa pratica e di condurre tutte le operazione ad essa ertinenti presso l'Ufficio del Brevetti e Marchi di Fabbrica: Elencare il nome ed il numero di matricola).	POWER OF ATTORNEY: As a named inventor, I hereb appoint the following attorney(s) and/or agent(s) to prosecute the application and transact all business in the Patent and Trademan Office connected therewith: (list name and registration number).
	Barry W. Sufrin, Reg. No. 27398
nviare le corrispondenza a;	Send Correspondence to:
	Barry W. Sufrin, 312-661-2100
elcfonarc a: (nome e numero telefonico)	Direct Telephone Calls to: (name and telephone number)
<u> </u>	
Nome e cognome dell'unico o del primo inventore	Full name of sole or first inventor Mr. Marco LA GRECA
Firma dell'inventore Data	Inventor's signature Date MARCH 14;
Residenza	Residence Via Vittorio Veneto; 9/4 PESCHIERA BORROMEO (MILANO)
Cittadinanza	Citizenship italian
Recapito postale	Post Office Address BUGNION S.P.A.
	Viale Lancetti, 17 MILANO,-ITALY-
Nome e cognome dell'eventuale secondo coinventore	Full parte of second joint hyventor, if any MASSINI.
Firma del secondo coinventore Data	Scenario Signature Date MARCH 14
Residenza	Residence Via Marchesi, 11 CARAVAGGIO (BERGAMO) + 1X
Cittadinanza	Citizenship italian
Recapito postale	Post Office Address BUGNION S.P.A.
	Viale Lancetti, 17

Declaration and Power of Attorney for Patent Application

Dichiarazione e procura ai fini della domanda di brevetto

Italian Language Declaration

Il sottoscritto inventore dichiara che:	As a below named inventor, I hereby declare that:
La propria residenza, recapito postale e cittadinanza corrispondono a quanto indicato in calce, sotto la propria firma.	My residence, post office address and citizenship are as stated next to my name.
Riticne di essere il primo ed unico inventore originale (se viene elencato in calce un solo nominativo) o il coinventore primo ed originale (se è elencato più di un nominativo) del oggetto rivendicato e per il quale il sottoscritto presenta domanda di brevetto. La invenzione in questione è chiamata	I believe I am the original, first and sole inventor (ifonly one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled A FIBER GLASS COMPOSITION
e la sua descrizione è allegata alla presente Dichiarazione a meno che non sia spuntata la seguente casella:	the specification of which is attached hereto unless the following box is checked:
e stata depositata una domanda di brevetto statunitense numero o una domanda di brevetto internazionale PCT numero che è stata modificata il (se applicabile).	was filed on 9/27/00 as United States Application Number or PCT International Application Number PCT/IT00/00380 and was amended on (if applicable).
Il sottoscritto dichiara in oltre di aver letto e compreso il contenuto della descrizione identificata in precedenza, rivendicazioni comprese, come modificati dall'eventuale modifica summenzionata.	I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.
Il sottoscritto riconosce l'obbligo di rivelare informazioni essenziali ai fini della determinazione della brevettabilità ai sensi del Titolo 37, Codice dei Regolamenti Federali, § 1.56.	I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56.

PTO/SB/104 (8-96)

Approved for use through 9/30/88. OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Italian Language Declaration

Il sottoscritto rivendica con la presente la priorità prevista dal Titolo 35, Codice degli Stati Uniti, § 119(c)-(d) o § 365(b) in relazione a qualsiasi domanda o domande estere di brevetto o certificato di inventore, o dal Titolo 35, § 365(a) degli stessi Codice in relazione a qualsiasi domanda internazionale PCT nella quale è designato almeno un paese diverso dagli Stati Uniti, i suddetti domande e certifeati essendo elencati sotto, e, spuntando les seguenti caselle, ha anche identificato sotto qualsiasi domanda estera di brevetto o certificato di inventore, o domanda internazionale PCT, la cui data di deposito preceda quella della domanda per la quale è rivendicata sa priorità.

Prior Foreign Aplication(s) Domande Estere Anteriori

(Number)	(Country)
(Numero)	(Nazione)
(Number)	(Country)
(Numero)	(Nazione)

Il sottoscritto rivendica con la presente i benefici previsti dal Titolo 35, Codici degli Stati Uniti, § 119(e), in relazione a qualsiasi domanda o domande provvisorie degli Stati Uniti elencate sotto.

(Application No.)	(Filing Date)
(Nº della domanda)	(Data di deposito)

(Application No.) (Filing Date) (Data di deposito) (Nº della domanda)

Il sottoscritto rivendica con la presente i benefici previsti dal Titolo 35, Codice degli Stati Uniti, § 120, in relazione a qualsiasi domanda o domande statunitensi, o dal Titolo 35, § 365(c) degli stessi Codice in relazione a qualsiasi domanda internazionale PCT nella quale sono designati gli Stati Uniti, i suddette domande essendo clencate sotto e, nella misura in cui l'oggetto di ciascuna rivendicazione di questa domanda non sia stato esposto nella domanda statunitense o internazionale PCT anteriore nel modo previsto dal primo paragrafo del Titolo 35, Codice degli Stati Uniti, § 112, riconosce l'obbligo di rivelare informazioni essenziali ai fini della determinazione della brevettabilità ai sensi del Titolo 37, Codici dei Regolamenti Federali, § 1.56, le quali diventino disponibili durante il periodo compreso tra la data di deposito della domanda anteriore e la data di deposito nazionale o internazionale PCT della presente domanda.

(Application (Filing Datc) (Nº della domanda) (Data di deposito) (Application No.) (Nº della domanda) (Filing Date)

(Data di deposito)

Con la presente, il sottoscritto dichiara veritiere tutte le affermazioni contenute in questa domanda in relazione alle proprie conoscenze e di ritenere vere tutte le affermazioni o informazioni presentate. Dichiara inoltre che tali asserzioni sono state espresse nella picna consapevolezza che le dichiarazioni intenzionalmente false sono punibili con una multa, l'incarcerazione o entrambe, ai sensi della Sezione 1001 del Titolo 18 del Codice degli Stati Uniti e che tali dichiarazioni intenzionalmente false possono mettere a repentaglio la validità della domanda o di qualsiasi brevetto rilasciato in merito.

I hereby claim foreign priority under Title 35, United States Code, § 119(a)-(d) or § 365(b) of any foreign application(s) for patent or inventor's certificate, or § 365(a) of any PCT international application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate or PCT International application having a filing date before that of the application on which priority is claimed.

> Priority Not Claimed Diritto di priorità non rivendicato

(Day/Month/Year Filed) (Giorno/Mese/Anno di deposito)

(Day/Month/Year Filed) (Giorno/Mese/Anno di deposito)

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below.

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s), or § 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35. United States Code, § 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application.

M199A002040 filed 9/30/99

(Starus) (patented, pending, abandoned) (Stato) (concessione di brevetto, in corso di esame, abbandono)

(Status) (patented, pending, abandoned) (Stato) (concessione di brevetto, in corso di esame, abbandono)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

PTO/SB/104 (8-96)
Approved for use through 9/30/98, OMB 0651-0032
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of Information unless it displays a valid OMB control number.

alian Language Declaration	
ROCURA: Il sottoscritto inventore nomina con la presente il eguente avvocato o avvocati e/o agente o agenti al fine di truire questa pratica e di condurre tutte le operazione ad essa ertinenti presso l'Ufficio dei Brevetti e Marchi di Fabbrica: Elencare il nome ed il numero di matricola).	POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: (list name and registration number).
	Barry W. Sufrin, Reg. No. 27398
iviare le corrispondenza a:	Send Correspondence to:
	Barry W. Sufrin, 312-661-2100
elcfonarc a: (nome e numero telefonico)	Direct Telephone Calls to: (name and telephone number)
Nome e cognome dell'unico o del primo inventore	Full name of XXXXXXXXXXX inventor, HUGUET
Firma dell'inventore Data	Inventor's signature Date 14/3/02
Residenza	Residence C-Ignasi Sarrò 1 SPAIN 43800 VALLS_TARRAGONA
Cittadinanza	Citizenship SPANISH ESX
Recapito postale	Post Office Address BUGNION S.P.A.
	Viale Lancetti, 17 20158 MTLANO -TTALY -
Nome e cognome dell'eventuale secondo coinventore	Full name of second joint inventor, if any
Firma del secondo coinventore Data	Second Inventor's signature Date
Residenza	Residence
Cittadinanza	Citizenship
Recapito postale	Post Office Address